



C805C

Caple 60cm 4 Zone Ceramic Hob
frameless dial controls



TECHNICAL INFORMATION



WARNING:
IMPORTANT INFORMATION FOR THE INSTALLER


This product should only be installed by a qualified electrician.

The power flex should be heat resistant 2.5mm².

The circuit should be protected by a 20amp circuit breaker / mcb

C805C

Caple 60cm 4 Zone Ceramic Hob
frameless dial controls





C805C

Caple 60cm 4 Zone Ceramic Hob
frameless dial controls

SPARE PARTS LIST

Item	Code	Description
4	S990015	REGULATION SHOFT GASKET
13	00EL0180RTR	RADIANT HEATING EL. TRIPLE CIRC. RES. HEAT 180 1700W
14	00EL0145RTR	RADIANT HEATING EL. TRIP. CIRC. RES. HEAT 145 1200W
19	00EL0019000	FIXING BRACKET FOR ENERGY REGULATOR 60
20	00EL0020000	RESIDUAL HEAT CIRCUIT FOR VITR. HOB
25	00EL002500N	BLACK KNOB WITH INDICATOR FOR CERAMIC HOB
36	00EL0036000	ZINC-PLATED CABLE COVER FOR CLAMP PR/PE
100	SPP0131	GLASS
181	SPP0050	SWITCH PM
230	OOEL0230001	ACCESSORIES KIT "F"
254	00EL0254000	HEATI. ELEME. FIXI. BRACKET + N.4 HEATI. ELEM. FIXIN
255	00EL0255600	LOWER VAT FOR HOBBS 60CM PR/PE ELECTRONIC AND MECHA

